

## High Performance Beach Catamarans

# Why F16 ?

### **MODERN & LIGHT WEIGHT**

minimum weight is just **107 kg** (2-up) with few restrictions on materials. Yet costs are no more than for other race catamarans. The inclusion of an asymmetric spinnaker adds to the excitement.





### PRACTICAL

designed to sail equally well 1-up and 2-up, and what's more both configurations **race** each other on **elapsed time**. And at 104kg, the F16 can not only be sailed singlehanded - you can launch and right it on your own too!

## Fast

light-weight platform, generous sail areas and asymmetric spinnaker can mean only one thing: **speed**. In either one-up or two-up mode F16s demonstrate a performance that is closely equivalent to the International A Class or Formula 18.





The target group of the Formula 16 class are the **lighter and medium weight crews** and especially the **mixed crews** that typically fall into this weight range. A singlehanded sailor that occasionally or regulary takes somebody along falls right into the target group of the Formula 16 as well. When a crew cancels at the last moment then a sailor can just take off the jib and attend the event in singlehanded mode.

When a crew is found at the last moment then switching to the doublehanded setup is a matter of minutes. Many more scenario's can be thought up. The Formula 16 class box rule regulates then all.



#### Ma x. ma st cr ane height 0,075 m Max. main sail luf fleng th 8,100 m Max. main sail luf fleng th 8,100 n Max. mast crane height 8,500 m Max. gen naker hoist height 7,500 m Max. gen naker hoist height 7,500 n - Néx jb luttlength le rah 6,000 , Max. mast mainsa il re a 15 ,0 m Max. mast mainsa il 1 rea 15,0 m Max. jible ech length 6, 000 m oot height0,075 m Max.gen nake r area 17,5 m2 Max. gen nake r ar ea 17,5 m2 Max.jib area 3,7 m 2 Min. weight do uble han ded mo de (sloop rig ged) 104 kg Min. weight sing lehande dim ode (cat rig ged) 104 kg Max tak erb<sub>oom</sub>length 3,500 m erboom length 3,500 m Max.overall length 5,000 Max.overall length 5,000

## THE BASIC F16 RULES

## INTERESTING LINKS



<u>www.formula16.org</u> - For official class info Contact: <u>PR@formula16.org</u>



<u>www.vectorworkssail.com</u> - US manufacturer of Blade F16. Contact: <u>info@vectorworkssail.com</u>.



<u>www.formulacatamarans.com</u> - Australian manufacturer of the Blade F16 Contact: <u>info@formulacatamarans.com</u>



www.bladeeurope.com - European importer of Vectorworks and formula catamarans Blade F16. Contact: info@bladeeurope.com http://stealthmarine.co.uk - UK manufacturer of Stealth F16.



Contact: <a href="mailto:Stealthmarine@tiscali.co.uk">Stealthmarine@tiscali.co.uk</a>



<u>www.ahpc.com.au</u> - International manufacturer of Taipan and Viper F16. Contact:<u>gb@gbarrett.com.au</u>.

# Home Build



#### http://woodastic.blogspot.com/

www.rahkonen.fi/blog - Finnish Blade F16 home-build project.Valterri Rahkonen's Blade F16 project blog.

<u>www.catsailor.com</u> - newspaper/forums that cover news concerning beach cats of all brands. Separate forum for everything F16 related.

<u>www.frappr.com/formula16classgroup</u> - many F16 sailors have chosen to pin themselves on a world map. See where F16's are sailing.